

MIDWEST INDUSTRIAL SUPPLY, INC.  
P. O. BOX 8431  
CANTON, OHIO 44711 U.S.A.

D U S T - F Y G H T E R<sup>®</sup>  
CHLORIDE DUST SUPPRESSANT

Emergency Phone Numbers: 330-456-3121  
If no answer: 330-453-0666 or 330-862-3712

## MATERIAL SAFETY DATA SHEET

### SECTION I -- IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

TRADE NAME: DUST-FYGHTER®  
CHEMICAL NAME: N/A  
SYNONYMS: DUST SUPPRESSANT  
CHEMICAL FAMILY: CHLORIDES  
MOLECULAR WEIGHT: N/A  
FORMULA: N/A  
CAS REGISTRY NO: N/A

### SECTION II -- COMPOSITION/INFORMATION ON INGREDIENTS

<u>NAME</u>	<u>CAS REG. NO.</u>	<u>WT. %</u>
CALCIUM CHLORIDE	10043-52-4	0-38%
MAGNESIUM CHLORIDE	7786-30-3	0-34%
SODIUM CHLORIDE	7647-14-5	0-1%

### SECTION III -- HAZARDS IDENTIFICATION

CALCIUM CHLORIDE Irritant  
MAGNESIUM CHLORIDE Irritant  
SODIUM CHLORIDE Irritant

### SECTION IV -- FIRST AID MEASURES

**EYES:** Rinse eyes immediately with large amounts of water for at least 15 minutes, occasionally lifting the eyelids. Get medical attention.

**INHALATION:** Remove from exposure area to fresh air immediately. If breathing has stopped, give artificial respiration. Keep affected person warm and at rest. Get medical attention.

MIDWEST INDUSTRIAL SUPPLY, INC.  
P. O. BOX 8431  
CANTON, OHIO 44711 U.S.A.

Emergency Phone Numbers: 330-456-3121  
If no answer: 330-453-0666 or 330-862-3712

D U S T - F Y G H T E R<sup>®</sup>  
CHLORIDE DUST SUPPRESSANT

***MATERIAL SAFETY DATA SHEET***

**SECTION IV -- FIRST AID MEASURES (continued)**

**INGESTION:** Do not induce vomiting. Give large amounts of water or milk. Get medical attention.

**NEVER GIVE FLUIDS OR INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR HAVING CONVULSIONS.**

**SKIN:** Wash exposed area twice with soap and water. Exposed area should be examined by medical personnel if irritation or pain persists after the area has been washed.

**DECONTAMINATION PROCEDURES:** Use emergency shower if available. Remove all contaminated clothing to prevent further absorption. Wash all clothing and exposed area of the body twice with soap and water. Leather shoes that have been saturated should be discarded.

**SECTION V -- FIRE FIGHTING MEASURES**

**FLASH POINT (TEST METHOD):** Not Applicable

**AUTOIGNITION TEMPERATURE:** Not Applicable

**EXTINGUISHING MEDIUM:** As this material is virtually not-flammable, use proper equipment to fight surrounding fire.

**SPECIAL FIREFIGHTING PROCEDURES:** Firefighter should wear full protective equipment including positive pressure self-contained breathing apparatus. Use normal firefighting procedures.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None

MIDWEST INDUSTRIAL SUPPLY, INC.  
P. O. BOX 8431  
CANTON, OHIO 44711 U.S.A.

Emergency Phone Numbers: 330-456-3121  
If no answer: 330-453-0666 or 330-862-3712

D U S T - F Y G H T E R<sup>®</sup>  
CHLORIDE DUST SUPPRESSANT

## ***MATERIAL SAFETY DATA SHEET***

### **SECTION VI - ACCIDENTAL RELEASE MEASURES**

#### **SPILL AND LEAK PROCEDURES:**

For small spills use suitable absorbent material & collect for later disposal. For large spills, the area may require diking to contain the spill. Material can then be collected (eg. suction) for later disposal. Avoid contamination of drinking water, natural water, ground water or any waterway. Losses incidental to correct industrial use are not expected to be harmful to the environment. Wear appropriate protective equipment during clean-up. After collection of material, flush area with water.

### **SECTION VII HANDLING AND STORAGE**

#### **STORAGE:**

Store in a suitable tank or container for chlorides (aluminum and its alloys deteriorate rapidly upon exposure to chlorides and are not recommended.).

#### **HANDLING:**

Wear proper clothing and personal protection equipment. Minimize splashing, chlorides can be irritating to eyes and skin.

### **SECTION VIII -- EXPOSURE CONTROL/PERSONAL PROTECTION**

#### **RESPIRATORY PROTECTION:**

When necessary, use an air purifying respirator or mist respirator depending on situation.

#### **VENTILATION:**

All operations should be conducted in well ventilated conditions.

#### **EYE PROTECTION:**

Safety glasses or chemical goggles.

#### **PROTECTIVE CLOTHING:**

Impervious gloves, boots, apron or full body suit, depending on operation.

### **SECTION IX -- PHYSICAL AND CHEMICAL PROPERTIES**

#### **BOILING POINT:**

244.6°F

#### **VAPOR PRESSURE mm Hg @ 20°C:**

Not Applicable

#### **SPECIFIC GRAVITY OR BULK DENSITY:**

1.25 to 1.36

#### **SOLUBILITY IN WATER:**

Miscible

#### **APPEARANCE:**

Clear to Tan Liquid

#### **ODOR:**

Mild Odor

#### **pH:**

7.0

MIDWEST INDUSTRIAL SUPPLY, INC.  
P. O. BOX 8431  
CANTON, OHIO 44711 U.S.A.

Emergency Phone Numbers: 330-456-3121  
If no answer: 330-453-0666 or 330-862-3712

D U S T - F Y G H T E R<sup>®</sup>  
CHLORIDE DUST SUPPRESSANT

## ***MATERIAL SAFETY DATA SHEET***

### **SECTION X -- STABILITY AND REACTIVITY**

<b>STABLE:</b>	Yes
<b>CHEMICAL INCOMPATIBILITY:</b>	Flammable hydrogen may be generated when exposed to sodium or zinc. Avoid contact with sulfuric acid.
<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>	Does not decompose.
<b>HAZARDOUS POLYMERIZATION:</b>	None
<b>CONDITIONS TO AVOID:</b>	Mildly corrosive to metals.
<b>CORROSIVE TO METAL:</b>	Mildly corrosive to metals.
<b>OXIDIZER:</b>	Not Applicable.

### **SECTION XI -- TOXICOLOGICAL INFORMATION**

#### **EFFECTS OF OVEREXPOSURE**

<b>INHALATION:</b>	Vapors are unlikely due to physical properties. Mists may cause irritation to upper respiratory tract.
<b>SKIN:</b>	Short exposures are not likely to cause irritation. Prolonged or repeated exposure may cause skin irritation. It may cause more severe irritation if skin is scratched or abraded.
<b>EYES:</b>	May be irritating to the eyes.
<b>INGESTION:</b>	Small amounts swallowed incidental to normal handling are not likely to cause injury. Swallowing larger amounts may cause gastrointestinal irritation or ulceration.
<b>TOXICOLOGY:</b>	
<u>ACUTE</u>	Skin: LD50 (rabbits) skin absorption is >5000 mg/kg. Ingestion: LD50 (rats) oral is 900-2100 mg/kg.
<u>MUTAGENIC</u>	(effects on genetic material) in vitro mutagenicity studies were negative.

### **SECTION XII -- ECOLOGICAL INFORMATION**

Material is practically non-toxic to aquatic organisms (LC50 >50 mg/L in most sensitive species).

MIDWEST INDUSTRIAL SUPPLY, INC.  
P. O. BOX 8431  
CANTON, OHIO 44711 U.S.A.

Emergency Phone Numbers: 330-456-3121  
If no answer: 330-453-0666 or 330-862-3712

D U S T - F Y G H T E R<sup>®</sup>  
CHLORIDE DUST SUPPRESSANT

## MATERIAL SAFETY DATA SHEET

### SECTION XIII -- DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD:** Dispose of the material in accordance with standard practice for disposal as required by applicable federal, state or local laws.

**CONTAINER DISPOSAL:** Not Applicable

### SECTION XIV -- TRANSPORTATION INFORMATION

**D.O.T. PROPER SHIPPING NAME (49CFR172.101):** Chloride Rich Aqueous Solution

**HAZARDOUS SUBSTANCE (40CFR116):** Not Hazardous

**REPORTABLE QUANTITY (RQ):** Not Applicable

**D.O.T. HAZARD CLASSIFICATION (49CFR172.101):** Not Hazardous

**D.O.T. LABELS REQUIRED (49CFR172.101):** None

**D.O.T. PLACARDS REQUIRED:** None

**POISON CONSTITUENT (49CFR173.343):** Not Applicable

**BILL OF LADING DESCRIPTION:** Dust Control Agent

**C NO.:** Not Applicable

**UN/NA CODE:** Not Applicable

### SECTION XV-- REGULATORY INFORMATION

**EPA SARA TITLE III hazard class:** Immediate health hazard (irritant).

**OSHA HCS hazard class:** Eye or skin irritant.

**EPA SARA TITLE III SECTION 313 (40cfr372)  
Toxic Chemicals present in quantities greater than  
the "de minimus" level are:** None

**WHMIS CLASSIFICATION:** The Canadian Workplace Hazardous Materials Information System (WHMIS) Classification: D2B - eye or skin irritant.

### SECTION XVI -- OTHER INFORMATION

**ABBREVIATIONS AND SYMBOLS:**

N.D. - Not Determined  
< - LESS THAN

N.A. - Not Applicable  
> - MORE THAN

N.T. - Not Tested