

1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

SECTION I -- IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

TRADE NAME:	AG-8040
MANUFACTURER:	Midwest Industrial Supply, Inc.
	1101 3rd Street SE
	Canton, OH 44707
EMERGENCY PHONE NUMBER:	330-456-3121
RECOMMENDED USE:	Responsible foam solution for livestock farming
CHEMICAL NAME:	Wetting agent
SYNONYMS:	Wetting agent

SECTION II -- HAZARDS IDENTIFICATION

CLASSIFICATION:	Eye Damage
	Skin Irritation
	Skin Sensitization

SIGNAL WORD:	Danger
HAZARD STATEMENT(S):	Causes serious eye damage
	Causes skin irritation
	May cause an allergic skin reaction

Category 1	
Category 2	
Category 1	



PRECAUTIONARY STATEMENT(S):

Prevention:	Wash hands and exposed skin thoroughly after handling.
	Wear eye and face protection and protective gloves.
Response:	If in eyes, rinse cautiously with water for several minutes.
	Remove contact lenses if present and easy to do. Continue rinsing.
	Immediately get medical attention.
	If on skin, wash with plenty of water.
	If skin irritation or rash occurs, get medical attention.



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

		Take off contaminated clothing and wash before reuse.	
	Storage:	Store away from incompatible materials.	
	Disposal:	Dispose in accordance to local, regional and federal regulations.	
OTHER HAZARDS:		None	

SECTION III -- COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS #	WT %
Alpha Olefin Sulfonate Solution	68439-57-6	< 80
Hexylene glycol	107-41-5	15-25
d-limonene	5989-27-5	< 3

SECTION IV -- FIRST AID MEASURES

INHALATION:	If respiratory irritation occurs, move victim to fresh air. Seek medical attention if distress or irritation persists.
SKIN:	Remove from source of irritation. Remove any contaminated clothing and wash affected area(s) thoroughly with a mild soap and water. Launder clothing before reusing.
EYES:	Do not rub eyes. Flush eyes with clear water for at least fifteen (15) minutes. Remove contact lenses, if easy to do. Get medical attention immediately
INGESTION:	If swallowed and person is conscious, give 1 – 2 glasses of water. Seek medical attention if symptoms occur Never give anything by mouth to an unconscious person.

RECOMMENDATION TO FIREFIGHTERS ON SPECIAL PROTECTIVE EQUIPMENT OR PREQUATIONS:

Firefighters should be equipped to prevent breathing of vapor, mist or products of combustion. Use NIOSH approved self-contained breathing apparatus for organic vapors and wear appropriate clothing.

SECTION V -- FIREFIGHTING MEASURES

EXTINGUISHING MEDIUM:	Use extinguishing medium appropriate for the surrounding fire
SPECIAL FIREFIGHTING PROCEDURES: UNUSUAL FIRE AND EXPLOSION HAZARDS: SPECIAL HAZARDS:	None During fire hazardous gases may form None
SECTION VI ACCIDENTAL RELEASE MEASURES	

PERSONAL PRECAUTIONS:

Safety glasses and neoprene gloves should be worn especially if frequent or prolonged



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

SPILL AND LEAK PROCEDURES:

contact is expected.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For small spills wipe up with absorbent materials. For larger spills dyke to control with absorbent material. Prevent product from entering waterways of storm drains.

SECTION VII -- HANDLING AND STORAGE

STORAGE: Keep container closed when not in use. Store in a location well away from strong oxidizers.

HANDLING:Consumption of food and beverages should be avoided in work areas where product is being used.After using product, always wash hands and face with soap and water before eating, drinking, or
smoking.

SECTION VIII -- EXPOSURE CONTROL/PERSONAL PROTECTION

VENTILATION:	Good ventilation or local exhaust. Provide natural or mechanical ventilation to maintain airborne exposure levels below exposure limits.
RESPIRATORY PROTECTION:	If high vapor or mist concentrations are expected, use NIOSH approved respirator for organic vapors (recommended full face) when exposure levels are exceeded. Consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator limitations specified by NIOSH/MSHA.
EYE PROTECTION: PROTECTIVE CLOTHING:	Safety goggles or chemical splash goggles, especially if splashing is anticipated. Wear clothing to minimize skin contact, long sleeves, boots or shoes. Change clothing frequently if contaminated with product. Launder soiled work clothes before re-using. For casual contact PVC gloves are suitable, for prolonged contact use neoprene or nitrile gloves.

Airborne Exposure Limits:

hexylene glycol:

OSHA/PEL 25 ppm ceiling ACGIH TLV 25 ppm ceiling

SECTION IX -- PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Odor: Liquid Slight soap and orange



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

Vapor Density:	N/D
Solubility in Water:	miscible
Relative Density:	1.02-1.03
Melting/Freezing Point:	21.2°F (-6°C)
Viscosity:	30 cSt at 70°F (21°C)
Flashpoint:	>212°F (100°C)
Flammable Limits LEL:	>N/D
Flammable Limits UEL:	N/D
Odor Threshold:	N/D
Initial Boiling Point/Range:	N/D
Vapor Pressure:	N/D
Evaporation Rate:	N/D
pH:	8.5 - 9.0 (undiluted)
Octanol/Water Coefficient:	N/D
Decomposition Temperature:	N/D
Flammability (solid/gas):	N/A
Auto Ignition Temperature:	N/D

SECTION X -- STABILITY AND REACTIVITY

REACTIVITY:	none
CHEMICAL STABILITY:	Stable under normal handling conditions.
CHEMICAL INCOMPATIBILITY:	Strong oxidizers such as, but not limited to, hydro chlorite.
HAZARDOUS DECOMPOSITION PRODUCTS:	Combustion may yield carbon dioxide, carbon monoxide and oxides of sulphur.
HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID:	Does not occur. Strong acids and strong oxidizing agents

SECTION XI -- TOXICOLOGICAL INFORMATION

EFFECTS OF OVEREXPOSURE

INHALATION:	No adverse effects due to inhalation are expected.			
SKIN:	Causes skin irritation; May cause an allergic skin reaction			
EYES:	Causes serious eye damage			
INGESTION:	Expected to be a low ingestion hazard			
CARCINOGENICITY:	Based on studies to date, it is not known to be carcinogenic to humans.			
GERM CELL MUTAGENIC	TY:	N/D		
REPRODUCTIVE TOXIN:	N/D			
ACUTE TOXICITY:	Dermal	rat	LD50 >2020 mg/kg	



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

inhalation oral

rat

rat

N/D LD5(

LD50 >5000 mg/kg

SECTION XII -- ECOLOGICAL INFORMATION

Ecotoxicity: Toxic to aquatic life (CAS# 68439-57-6)

Components		Species	Test Results		
Sulfonic Acids, C14-16-alkane Hydroxy And C14-16-alkene, Sodium Salts (CAS 68439-57-6)					
Aquatic					
Acute					
Algae	EC50	Algae	3.2-5.2 mg/L, 72 h		
Crustacea	EC50	Daphnia	4.53 mg/L, 48h		
Fish	LC50	Danio rerio	3.5-5mg/L, 96h		
Chronic					
Crustacea	NOEC	Daphnia	6.3 mg/L, 21 d		

* Estimates for product may be based on additional component data not shown.

Persistence and degradability: This product is readily biodegradable.

Bioaccumulative potential: N/D

Mobility in soil: No data available.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION XIII -- DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Consult your local authorities for regulations. Preferred waste management: recycle or reuse, incinerate with energy recovery, disposal in a licensed facility. Disposal facility should be compliant with state, local and federal government regulations.

SECTION XIV -- TRANSPORTATION INFORMATION

DOT HAZARDOUS MATERIAL DESCRIPTION:	None
PROPER SHIPPING NAME:	AG-8040
UN NUMBER:	None
HAZARD CLASS/PACKAGING GROUP:	None
LABELS REQUIRED:	None



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

SECTION XV -- REGULATORY INFORMATION

NFPA RATING:	Health:	2 HMIS RATING:	Health:	2
	Flammability:	0	Flammability:	0
	Instability:	0	Physical Hazard:	0
			PPE:	В

EPA SARA Title III hazard category: EPA SARA Title III Section 313 (toxic chemicals): EPA SARA Section 302 (extremely hazardous substance) OSHA HCS hazard class: TSCA:

immediate N/A N/A Skin Irritant, Serious Eye Damage listed

SECTION XVI -- OTHER INFORMATION

ABBREVIATIONS AND SYMBOLS:

N.D.	Not Determined	N.A.	Not Applicable	N.T.	Not Tested
<	Less Than	>	More Than		