

1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

SECTION I -- IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

TRADE NAME:	ZERO GRAVITY THIRD RAIL [®] (DEGPG)
MANUFACTURER:	Midwest Industrial Supply, Inc
	1101 3rd Street SE
	Canton, OH 44707
EMERGENCY PHONE NUMBER:	330-456-3121
RECOMMENDED USE:	Anti-icing agent for electric third rails
CHEMICAL NAME:	Diethylene Glycol based winter agent
SYNONYMS:	Winter operating agent

SECTION II -- HAZARDS IDENTIFICATION

CLASSIFICATION: SIGNAL WORD:

Acute Oral Toxicity Warning





HAZARD STATEMENT(S): Harmful if swallowed, 4

May cause damage to organs (kidneys) through prolonged or repeated exposure, 2

Pictograms

PRECAUTIONARY STATEMENT(S):	
Prevention:	Do not breathe mist/vapor/spray.
	Wash hands and exposed skin thoroughly after handling.
	Do not eat, drink, or smoke when using this product.
	Wear eye and face protection.
Response:	If swallowed, call a doctor/poison control if you feel unwell.
	Rinse mouth.
	If exposed or concerned, call a doctor or poison control.
Storage:	Store locked up.
Disposal:	Dispose of contents/container per local, state, and federal laws.
OTHER HAZARDS: None	

SECTION III COMPOSITION/INFORMATION ON INGREDIENTS
--

Component	CAS #	WT %
Diethylene glycol	111-46-6	< 55%



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

Water	7732-18-5	> 40%
Sodium hydroxide	1310-73-2	< 0.1%
Proprietary ingredients	Non-hazardous	< 5%

INHALATION:	Move to fresh air if effects occur, and get medical attention.
SKIN:	Flush with large amount of water, or wash with soap and water. Seek medical attention if irritation persists.
EYES:	Flush eyes with flowing water for at least 15 minutes. Get medical attention.
INGESTION:	Induce vomiting if large amounts are ingested. Consult medical personnel. (Never give fluids or induce vomiting if patient is unconscious or having convulsions.)
NOTE TO PHYSICIAN:	No specific antidote. Supportive care. Treatment based on the judgement of the physician in response to reactions of the patient. Repeated, excessive exposure may aggravate pre-existing liver and kidney disease.
RECOMMENDATION TO	FIREFIGHTERS ON SPECIAL PROTECTIVE FOLLIPMENT OR PREOLIDITIONS

RECOMMENDATION TO FIREFIGHTERS ON SPECIAL PROTECTIVE EQUIPMENT OR PREQUATIONS:

Wear self-contained breathing apparatus and turn out gear.

SECTION V FIREFIGHTING MEASURES	
EXTINGUISHING MEDIUM:	Water fog, dry foam, CO_2 , dry chemical. DO NOT use direct water stream.
SPECIAL FIREFIGHTING PROCEDURES:	Avoid breathing vapors or fumes. Wear self-contained breathing apparatus and turn out gear.
UNUSUAL FIRE AND EXPLOSION HAZARDS: SPECIAL HAZARDS:	None None

SECTION VI -- ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Chemical splash goggles and impervious gloves
SPILL AND LEAK PROCEDURES:	Dike and control spill. Transfer liquid to containers for recovery or disposal. Keep spills
	out of municipal sewers and open bodies of water.

SECTION VII -- HANDLING AND STORAGE

STORAGE:	Keep in a cool, dry, ventilated storage area and in closed containers.
HANDLING:	Practice reasonable caution to avoid skin and eye contact. Avoid breathing vapors from hot material.
	Trace quantities of ethylene oxide (EO) may be present in this product. While the trace quantities
	could accumulate in headspace areas of storage transport vessels, they are not expected to create a
	condition which will result in EO concentrations greater than 0.5 ppm (8 hour TWA) in the breathing



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

zone of the workplace for appropriate applications. OSHA has established a permissible exposre limit of 1.0 ppm (8 hour TWA) for EO. (Code of Federal Regulations Part 1910.1047 of Title 29.)

SECTION VIII -- EXPOSURE CONTROL/PERSONAL PROTECTION

VENTILATION:	Good general ventilation should be sufficient. Local exhaust ventilation may be
	necessary for some operations.
RESPIRATORY PROTECTION:	If respiratory irritation is experienced, use an approved air-purifying respirator.
EYE PROTECTION:	Chemical splash goggles recommended
PROTECTIVE CLOTHING:	Impervious gloves recommended

SECTION IX -- PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Odor:	Slight odor
Vapor Density:	N/D
Solubility in Water:	Complete
Relative Density:	1.04-1.08
-	
Melting/Freezing Point:	N/D
VOC Content:	52%
Viscosity:	N/D
Flashpoint:	N/A
Flammable Limits LEL:	N/D
Flammable Limits UEL:	N/D
Odor Threshold:	N/D
Initial Boiling Point/Range:	245°C (473°F)
Vapor Pressure:	< 0.01
Evaporation Rate:	N/D
pH:	7-9
Octanol/Water Coefficient:	N/D
Decomposition Temperature:	N/D
Flammability (solid/gas):	N/A
Auto Ignition Temperature:	N/D

SECTION X -- STABILITY AND REACTIVITY

REACTIVITY: CHEMICAL STABILITY: CHEMICAL INCOMPATIBILITY: N/D Stable Oxidizing materials



SAFETY DATA SHEET

HAZARDOUS DECOMPOSITION PRODUCTS:

HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID:

Burning produces normal products of combustion; carbon dioxide, carbon monoxide, and water. Does not occur. Heat, sparks, and open flame

SECTION XI -- TOXICOLOGICAL INFORMATION

Toxicological testing has not been done on ZERO GRAVITY THIRD RAIL[®] (DEGPG), however, the toxological information below is the result of testing on Diethylene Glycol.

Acute toxicity	
Acute oral toxicity:	Acute toxicity estimate : 1,120 mg/kg
	Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity:	LC50 (rat): > 4.6 mg/l
	Exposure time: 4 h
	Test atmosphere: dust/mist
	Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity:	LD50 (rabbit): 11,890 mg/kg
	Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Species: Human Method: Patch Test 24 Hrs. Result: No skin irritation

Serious eye damage/eye irritation

Species: rabbit Result: No eye irritation

Respiratory or skin sensitisation

Test Type: Maximisation Test (GPMT) Species: guinea pig Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Genotoxicity in vitro:	Test Type: Ames test
	Test species: Salmonella typhimurium
	Metabolic activation: with and without metabolic acti-vation



ZERO GRAVITY THIRD RAIL® (DEGPG)

SAFETY DATA SHEET

Result: negative

Genotoxicity in vivo:	Test Type:	In vivo micronucleus test					
,	Test specie						
	Cell type: B						
		Route: Intraperitoneal					
	Exposure ti						
	•	-					
	Result: neg	ative					
Germ cell mutagenicity- Assessment:		Tests on bacterial or mammalian cell cultures did not show mutagenic					
		effects.					
Carcinogenicity							
Species: rat							
, Application Route: Oral							
Exposure time: 108 wks							
•	NOAEL: 1,210 mg/kg body weight						
Result: did not display carci	-	rties					
Carcinogenicity - Assessment:		No evidence of carcinogenicity in animal studies.					
Reproductive toxicity							
Effects on fertility:	Test Type:	Two-generation study					
Species:		rat					
	Application	Route: Oral					
		AEL: 2,200 mg/kg body weight					
		reproductive effects.					
Effects on foetal devel-opment:		Species: rabbit					
		Application Route: Oral					
		Duration of Single Treatment: 30 d					
		Teratogenicity: NOAEL: 1,000 mg/kg body weight					
Reproductive toxicity - Assessment:		No evidence of adverse effects on sexual function and fertility, and on					
		development, based on animal expe-riments.					
Repeated dose toxicity							
pearea aboe tomory							

Repeated dose toxicity

Species: rat NOAEL: 10,000 mg/kg Application Route: Oral Exposure time: 4 wks



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

Number of exposures: daily

SECTION XII -- ECOLOGICAL INFORMATION

Ecotoxicity	
Toxicity to fish:	LC50 (Pimephales promelas (fathead minnow)): 75,200 mg/l
	Exposure time: 96 h
	Test Type: flow-through test
Toxicity to daphnia and	l other aquatic inverte-brates:
	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
	Exposure time: 24 h
	Test Type: static test
Toxicity to algae:	
EC50 (P	seudokirchneriella subcapitata (Selenastrum capricornutum)): 6,500 - 13,000 mg/l
End poi	nt: Growth rate
Exposu	re time: 96 h
Test Ty	pe: static test
Remark	s: Information given is based on data obtained from similar substances.
Persistence and degrad	dability
Biodegradability:	aerobic
с ,	Inoculum: Activated sludge, domestic, adaption not specified
	Concentration: 45 mg/l
	Biodegradation: 90 - 100 %
	Exposure time: 28 d
	GLP: yes
	Remarks: Readily biodegradable
Bioaccumulative poter	ntial
Partition coefficient: n-	
SECTION XIII DISPOSAL CONSIDI	ERATIONS
WASTE DISPOSAL METHOD:	Consult your local authorities for regulations. Preferred waste management: recycle
	or reuse, incinerate with energy recovery, disposal in a licensed facility. Disposal
	facility should be compliant with state, local and federal government regulations.

SECTION XIV -- TRANSPORTATION INFORMATION



1101 3rd Street Southeast Canton, OH 44707 USA 330.456.3121 800.321.0699 www.midwestind.com

SAFETY DATA SHEET

DOT HAZARDOUS MATERIAL DESCRIPTION: PROPER SHIPPING NAME: UN NUMBER: HAZARD CLASS/PACKAGING GROUP: LABELS REQUIRED: Not regulated as dangerous goods ZERO GRAVITY THIRD RAIL[®] (DEGPG) Not regulated as dangerous goods None None

SECTION XV -- REGULATORY INFORMATION

NFPA RATING:	Health:	1	HMIS RATING:	Health:	1
	Flammability:	1		Flammability:	1
	Instability:	0		Physical Hazard:	0
				PPE:	В

EPA SARA Title III hazard class: OSHA HCS hazard class: EPA SARA Title III Section 313 (40CFR372):

Acute Oral Toxicity None

SECTION XVI -- OTHER INFORMATION

LATEST REVISION:7-Jan-16ABBREVIATIONS AND SYMBOLS:						
ı		Not Determined _ess Than	N.A. >	Not Applicable More Than	N.T.	Not Tested